

| Set  | Items | Description  |
|--|-------|--|
| S1   | 38    | AU=OYAMA S?  |
| S2   | 233   | AU=SATO A?   |
| S3   | 2082  | (ACCOUNT? OR CHECKING? OR SAVING?) (5N) (BANK? OR FINANCIAL?<br>OR S(2W)L) |
| S4   | 69997 | BANK OR BANKING OR BANKS OR CHECKING OR SAVINGS OR NEW()AC-<br>COUNT?      |
| S5   | 0     | S1 AND S2  |
| S6   | 4     | (S1 OR S2) AND (S3 OR S4)  |
| S7   | 0     | (S1 OR S2) AND S3  |
| S8   | 26141 | S4 AND (AUTHOR? OR AUTHENT? OR VERIF? OR CONFIRM?)                         |
| S9   | 2     | S6 AND S8  |
| S10  | 2     | S9 OR S5   |
| S11  | 4     | S6 OR S10  |
| S12  | 4     | ✓ IDPAT (sorted in duplicate/non-duplicate order)                          |
| S13  | 4     | ✓ IDPAT (primary/non-duplicate records only)                               |
| File 348:European Patents 1978-2000/Jun W02      |       |  |
| (c) 2000 European Patent Office                  |       |  |
| File 349:PCT Fulltext 1983-2000/UB=, UT=20000525 |       |  |
| (c) 2000 WIPO/MicroPatent                        |       |  |

*(Reviewed all)*

6/15/00

13/5/1 (Item 1 from file: 348)  
DIALOG(R)File 348:European Patents  
(c) 2000 European Patent Office. All rts. reserv.

00884078

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

**Facsimile apparatus**

**Faksimilegerat**

**Dispositif de facsimile**

PATENT ASSIGNEE:

CANON KABUSHIKI KAISHA, (542361), 30-2, 3-chome, Shimomaruko, Ohta-ku,  
Tokyo, (JP), (applicant designated states: DE;ES;FR;GB;IT)

INVENTOR:

Maeda, Toru, Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome, Ohta-ku,  
Tokyo, (JP)

Saito, Hitoshi, Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome,  
Ohta-ku, Tokyo, (JP)

**Sato, Akemi**, Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome,  
Ohta-ku, Tokyo, (JP)

Matsui, Akira, Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome,  
Ohta-ku, Tokyo, (JP)

Sugawara, Kazuhiro, Canon Kabushiki Kaisha, 30-2, Shimomaruko, 3-chome,  
Ohta-ku, Tokyo, (JP)

LEGAL REPRESENTATIVE:

Rinuy, Santarelli (100892), 14, avenue de la Grande Armee, B.P. 237,  
75822 Paris Cedex 17, (FR)

PATENT (CC, No, Kind, Date): EP 809389 A1 971126 (Basic)

APPLICATION (CC, No, Date): EP 97113274 920928;

PRIORITY (CC, No, Date): JP 91248909 910927; JP 91248910 910927; JP  
91248911 910927

DESIGNATED STATES: DE; FR; GB

RELATED PARENT NUMBER(S) - PN (AN):

EP 540378 (EP 924026495)

INTERNATIONAL PATENT CLASS: H04N-001/32;

ABSTRACT EP 809389 A1

A method of registering data to an image forming apparatus at remote position comprising the steps of requesting type data of the image forming apparatus prior to data transmission to the apparatus, comparing predetermined type data with the type data obtained in response to the request, performing the data registration to the image forming apparatus when the obtained type data corresponds to the predetermined type data, and suspending the data registration to the image forming apparatus when the obtained type data do not correspond to the predetermined type data.

ABSTRACT WORD COUNT: 90

LEGAL STATUS (Type, Pub Date, Kind, Text):

Change: 20000329 A1 Designated contracting states changed  
20000204

Application: 971126 A1 Published application (A1with Search Report  
;A2without Search Report)

Change: 980429 A1 Inventor (change)

Examination: 980610 A1 Date of filing of request for examination:  
980415

Examination: 981014 A1 Date of despatch of first examination report:  
980901

Change: 991222 A1 Legal representative(s) changed 19991029

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

| Available Text                     | Language  | Update | Word Count |
|------------------------------------|-----------|--------|------------|
| CLAIMS A                           | (English) | 9711W3 | 453        |
| SPEC A                             | (English) | 9711W3 | 13760      |
| Total word count - document A      |           |        | 14213      |
| Total word count - document B      |           |        | 0          |
| Total word count - documents A + B |           |        | 14213      |

13/5/2 (Item 2 from file: 348)

DIALOG(R)File 348:European Patents  
(c) 2000 European Patent Office. All rts. reserv.

00668799

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348  
**Communication apparatus connectable to switching network providing  
distinctive ringing pattern service.**

**An ein Schaltnetzwerk mit unterscheidbaren Rufkennmustern anschliessbares  
Nachrichtengerat.**

**Dispositif de communication connectable a un reseau de commutation qui  
donne une service de modeles de tonalites distincts.**

PATENT ASSIGNEE:

CANON KABUSHIKI KAISHA, (542361), 30-2, 3-chome, Shimomaruko, Ohta-ku,  
Tokyo, (JP), (applicant designated states: DE;ES;FR;GB;IT)

INVENTOR:

Tachibana, Shunichi, c/o Canon K.K., 30-2, 3-chome, Shimomaruko, Ohta-ku,  
Tokyo, (JP)

Takeda, Tomoyuki, c/o Canon K.K., 30-2, 3-chome, Shimomaruko, Ohta-ku,  
Tokyo, (JP)

Nakagawa, Kaori, c/o Canon K.K., 30-2, 3-chome, Shimomaruko, Ohta-ku,  
Tokyo, (JP)

**Sato, Akemi**, c/o Canon K.K., 30-2, 3-chome, Shimomaruko, Ohta-ku, Tokyo  
, (JP)

LEGAL REPRESENTATIVE:

Rinuy, Santarelli (100892), 14, avenue de la Grande Armee, B.P. 237,  
75822 Paris Cedex 17, (FR)

PATENT (CC, No, Kind, Date): EP 642255 A2 950308 (Basic)  
EP 642255 A3 960501

APPLICATION (CC, No, Date): EP 94401935 940831;

PRIORITY (CC, No, Date): JP 93217560 930901; JP 93217562 930901; JP  
93217563 930901; JP 93312019 931213; JP 93312025 931213

DESIGNATED STATES: DE; ES; FR; GB; IT

INTERNATIONAL PATENT CLASS: H04N-001/32; H04M-011/06;

ABSTRACT EP 642255 A2

A communication apparatus is disclosed which utilizes a distinctive ringing pattern service provided by a switching network for switching speech communication to and from data communication and for telling who is to answer an incoming call. In the communication apparatus: switch means switches speech communication to and from data communication; control means controls the switching means according to an intermittent pattern of a call signal from a switching network; the control means includes voice answering means and controls the voice answering means according to an intermittent pattern of a call signal; the control means also includes data communication means including facsimile data communication, and controls the data communication means so as to transmit data corresponding to an intermittent pattern of a call signal; record means records data from a calling party side; and display means displays character information corresponding to an intermittent pattern of a call signal. (see image in original document)

ABSTRACT WORD COUNT: 179

LEGAL STATUS (Type, Pub Date, Kind, Text):

Application: 950308 A2 Published application (A1with Search Report  
;A2without Search Report)

Change: 951129 A2 Obligatory supplementary classification  
(change)

Search Report: 960501 A3 Separate publication of the European or  
International search report

Examination: 961120 A2 Date of filing of request for examination:  
960923

Examination: 990721 A2 Date of despatch of first examination report:  
990607

Change: 991222 A2 Legal representative(s) changed 19991029

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

| Available Text | Language  | Update | Word Count |
|----------------|-----------|--------|------------|
| CLAIMS A       | (English) | EPAB95 | 754        |

SPEC A (English) EPAB95 13974  
Total word count - document A 14728  
Total word count - document B 0  
Total word count - documents A + B 14728

13/5/3 (Item 3 from file: 348)  
DIALOG(R) File 348:European Patents  
(c) 2000 European Patent Office. All rts. reserv.

00549646

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

**Facsimile apparatus.**

**Faksimilegerat.**

**Dispositif de telescopie.**

PATENT ASSIGNEE:

CANON KABUSHIKI KAISHA, (542361), 30-2, 3-chome, Shimomaruko, Ohta-ku,  
Tokyo, (JP), (applicant designated states: DE;ES;FR;GB;IT)

INVENTOR:

Maeda, Toru, c/o Canon Kabushiki Kaisha, 30-2, 3-chome, Shimomaruko,  
Ohta-ku, Tokyo, (JP)

Saito, Hitoshi, Canon Kabushiki Kaisha, 30-2, 3-chome, Shimomaruko, Ohta-ku,  
Tokyo, (JP)

**Sato, Akemi, c/o Canon Kabushiki Kaisha**, 30-2, 3-chome, Shimomaruko,  
Ohta-ku, Tokyo, (JP)

Matsui, Akira, c/o Canon Kabushiki Kaisha, 30-2, 3-chome, Shimomaruko,  
Ohta-ku, Tokyo, (JP)

Sugawara, Kazuhiro, Canon Kabushiki Kaisha, 30-2, 3-chome, Shimomaruko,  
Ohta-ku, Tokyo, (JP)

LEGAL REPRESENTATIVE:

Rinuy, Santarelli (100892), 14, avenue de la Grande Armee, B.P. 237,  
75822 Paris Cedex 17, (FR)

PATENT (CC, No, Kind, Date): EP 540378 A2 930505 (Basic)  
EP 540378 A3 930811

APPLICATION (CC, No, Date): EP 92402649 920928;

PRIORITY (CC, No, Date): JP 91248909 910927; JP 91248910 910927; JP  
91248911 910927

DESIGNATED STATES: DE; ES; FR; GB; IT

INTERNATIONAL PATENT CLASS: H04N-001/32;

CITED PATENTS (EP A): US 4270146 A; US 4581656 A

CITED REFERENCES (EP A):

PATENT ABSTRACTS OF JAPAN vol. 12, no. 261 (E-636) 22 July 1988

PATENT ABSTRACTS OF JAPAN vol. 15, no. 172 (P-1197) 30 April 1991

IBM TECHNICAL DISCLOSURE BULLETIN vol. 32, no. 6A, November 1989, ARMONK  
(US) pages 426 - 427 ANONYMOUS 'The receiving confirmation function in  
facsimile'

IBM TECHNICAL DISCLOSURE BULLETIN vol. 33, no. 1B, June 1990, ARMONK (US)  
page 363 ANONYMOUS 'Remote configuration of a pc-driven facsimile  
system';

ABSTRACT EP 540378 A2

A control command indicating the end of a command is set in a remote  
command in file data to be transmitted, and the remote command is  
transmitted as packet data having a data length based on the control code  
to a receiving apparatus. When the receiving apparatus extracts the  
command from the received packet data, it informs, as a response signal,  
to the apparatus which transmitted the command that the command was  
extracted, and the transmitting apparatus restarts command transmission  
from a portion where the response signal cannot be received. (see image  
in original document)

ABSTRACT WORD COUNT: 97

LEGAL STATUS (Type, Pub Date, Kind, Text):

Application: 930505 A2 Published application (A1with Search Report  
;A2without Search Report)

Search Report: 930811 A3 Separate publication of the European or  
International search report

Examination: 940316 A2 Date of filing of request for examination:

940114

Examination: 951220 A2 Date of despatch of first examination report:  
951102  
Change: 991222 A2 Legal representative(s) changed 19991029  
LANGUAGE (Publication,Procedural,Application): English; English; English  
FULLTEXT AVAILABILITY:  
Available Text Language Update Word Count  
CLAIMS A (English) EPABF1 1226  
SPEC A (English) EPABF1 13768  
Total word count - document A 14994  
Total word count - document B 0  
Total word count - documents A + B 14994

13/5/4 (Item 4 from file: 348)

DIALOG(R)File 348:European Patents  
(c) 2000 European Patent Office. All rts. reserv.

00402910

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

**Novel Bakers' yeast.**

**Backhefe.**

**Levure de boulangerie.**

PATENT ASSIGNEE:

NATIONAL FOOD RESEARCH INSTITUTE, MINISTRY OF AGRICULTURE, FORESTRY AND  
FISHERIES, (898102), 2-1-2, Kannodai, Tsukuba-shi, Ibaraki, (JP),  
(applicant designated states:

AT;BE;CH;DE;DK;ES;FR;GB;GR;IT;LI;LU;NL;SE)

ASAHI KASEI KOGYO KABUSHIKI KAISHA, (219572), 2-6, Dojimahama 1-chome  
Kita-ku, Osaka-shi, Osaka 530, (JP), (applicant designated states:

AT;BE;CH;DE;DK;ES;FR;GB;GR;IT;LI;LU;NL;SE)

INVENTOR:

Takano, Hiroyuki, 2-1318-702-201 Azuma, Tsukuba-shi, Ibaraki 305, (JP)

Hino, Akihiro,, 1410-804-303 Takezono, Tsukuba-shi, Ibaraki 305, (JP)

Endo, Hisanori, B201 Coop. Wistaria, 3-7-5, Tokura, Mishima-shi, Shizuoka  
411, (JP)

Nakagawa, Nobuaki, 865-8 Ohitocho-Ohito, Tagata-gun, Shizuoka 410-23,  
(JP)

**Sato, Akio** , 1-17-14 Hikarigaoka, Mishima-shi, Shizuoka 411, (JP)

LEGAL REPRESENTATIVE:

Bourgognon, Jean-Marie et al (38841), Cabinet Flechner 22, Avenue de  
Friedland, F-75008 Paris, (FR)

PATENT (CC, No, Kind, Date): EP 388262 A1 900919 (Basic)  
EP 388262 B1 940928

APPLICATION (CC, No, Date): EP 90400634 900309;

PRIORITY (CC, No, Date): JP 8959638 890314

DESIGNATED STATES: AT; BE; CH; DE; DK; ES; FR; GB; GR; IT; LI; LU; NL; SE

INTERNATIONAL PATENT CLASS: C12N-001/18; A21D-008/04;

ABSTRACT EP 388262 A1

A diploid hybrid bakers' yeast belonging to *Saccharomyces cerevisiae*  
having at least strong fermentative ability of non-sugar bread dough and  
strong freeze-resistance and frozen bread dough containing the same are  
provided.

ABSTRACT WORD COUNT: 35

LEGAL STATUS (Type, Pub Date, Kind, Text):

Lapse: 20000126 B1 Date of lapse of European Patent in a  
contracting state (Country, date): AT  
19940928, BE 19940928, CH 19940928, LI  
19940928, DK 19940928, GR 19940928, SE  
19941228,

Application: 900919 A1 Published application (A1with Search Report  
;A2without Search Report)

Lapse: 20000209 B1 Date of lapse of European Patent in a  
contracting state (Country, date): AT  
19940928, BE 19940928, CH 19940928, LI  
19940928, DK 19940928, GR 19940928, LU

19950331, SE 19941228,

\*Assignee: 901107 A1 Applicant (transfer of rights) (change):  
NATIONAL FOOD RESEARCH INSTITUTE, MINISTRY OF  
AGRICULTURE, FORESTRY AND FISHERIES (898102)  
2-1-2, Kannodai Tsukuba-shi, Ibaraki (JP)  
(applicant designated states:  
AT;BE;CH;DE;DK;ES;FR;GB;GR;IT;LI;LU;NL;SE),  
TOYO JOZO CO., LTD. (677941) 632-1, Mifuku  
Ohito-cho Tagata-gun Shizuoka-ken (JP)  
(applicant designated states:  
AT;BE;CH;DE;DK;ES;FR;GB;GR;IT;LI;LU;NL;SE)

Examination: 901128 A1 Date of filing of request for examination:  
900919

\*Assignee: 921111 A1 Applicant (transfer of rights) (change):  
NATIONAL FOOD RESEARCH INSTITUTE, MINISTRY OF  
AGRICULTURE, FORESTRY AND FISHERIES (898102)  
2-1-2, Kannodai Tsukuba-shi, Ibaraki (JP)  
(applicant designated states:  
AT;BE;CH;DE;DK;ES;FR;GB;GR;IT;LI;LU;NL;SE),  
ASAHI KASEI KOGYO KABUSHIKI KAISHA (219572)  
2-6, Dojimahama 1-chome Kita-ku Osaka-shi,  
Osaka 530 (JP) (applicant designated states:  
AT;BE;CH;DE;DK;ES;FR;GB;GR;IT;LI;LU;NL;SE)

Examination: 931020 A1 Date of despatch of first examination report:  
930902

Grant: 940928 B1 Granted patent

\*Assignee: 941005 B1 Proprietor of the patent (transfer of rights):  
NATIONAL FOOD RESEARCH INSTITUTE, MINISTRY OF  
AGRICULTURE, FORESTRY AND FISHERIES (898102)  
2-1-2, Kannodai Tsukuba-shi, Ibaraki (JP)  
(applicant designated states:  
AT;BE;CH;DE;DK;ES;FR;GB;GR;IT;LI;LU;NL;SE),  
Asahi Kasei Kogyo Kabushiki Kaisha (219570)  
2-6, Dojimahama 1-chome Kita-ku Osaka-shi Osaka  
530 (JP) (applicant designated states:  
AT;BE;CH;DE;DK;ES;FR;GB;GR;IT;LI;LU;NL;SE)

Lapse: 950426 B1 Date of lapse of the European patent in a  
Contracting State: CH 940928, LI 940928

Lapse: 950426 B1 Date of lapse of the European patent in a  
Contracting State: CH 940928, LI 940928

Lapse: 950705 B1 Date of lapse of the European patent in a  
Contracting State: BE 940928, CH 940928, LI  
940928

Lapse: 950719 B1 Date of lapse of the European patent in a  
Contracting State: AT 940928, BE 940928, CH  
940928, LI 940928, SE 941228

Lapse: 950719 B1 Date of lapse of the European patent in a  
Contracting State: AT 940928, BE 940928, CH  
940928, LI 940928, SE 941228

Oppn None: 950920 B1 No opposition filed

Lapse: 980408 B1 Date of lapse of the European patent in a  
Contracting State: AT 940928, BE 940928, CH  
940928, LI 940928, DK 940928, SE 941228

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

| Available Text                     | Language  | Update | Word Count |
|------------------------------------|-----------|--------|------------|
| CLAIMS A                           | (English) | EPABF1 | 476        |
| SPEC A                             | (English) | EPABF1 | 3583       |
| Total word count - document A      |           |        | 4059       |
| Total word count - document B      |           |        | 0          |
| Total word count - documents A + B |           |        | 4059       |